

SPACE EDITION

30.2 kW
PEAK POWER

152 km/h
TOP SPEED

100 Nm
PEAK TORQUE

307 km
RANGE (IDC)



2.9 sec
0-60 KM/H

7.8 sec
0-100 Km/H

10 levels
DYNAMIC REGEN

3
RIDE MODES

DESIGN

**F SERIES -
JET INSPIRED**
DESIGN SERIES

**DYNAMIC,
RACE-BRED**
STANCE

**COSMIC
WHITE**
AERO SURFACE

RANGE ESTIMATES

RANGE (IDC EST.)	307 km
RANGE GLIDE (AVG. 40 WH/KM)	261 km
RANGE COMBAT (AVG. 52 WH/KM)	200 km
RANGE BALLISTIC (AVG. 60 WH/KM)	171 km

SMART TECH

CONTROL CENTER	Multi-function 5" TFT display with tactile input switch console (L+R)
OPERATING SYSTEM	UV Automotive Linux OS

SAFETY

Auto dimming LED Headlight with Ultra-V position lamp

Dual LED tail light assembly with central brake light

Front and Rear LED Hazard Lights

Sidestand Sensor

DIMENSIONS

WHEEL BASE	1340 mm
SEAT HEIGHT	800 mm
KERB WEIGHT	207 kg
GROUND CLEARANCE	160 mm

BATTERY SYSTEM

BATTERY PACK	SRB10
ENERGY CAPACITY	10.3 kWh
ENCLOSURE	All-Aluminum IP67-rated enclosure
BMS & SAFETY PROTOCOLS	Battery Management System with patented 5-level safety system - Mechanical, Thermal, Electrical, Electronic & Software protection

BATTERY & DRIVETAIN WARRANTY

UV CARE MAX	8 years or 8,00,000 km included
-------------	---------------------------------

VEHICLE WARRANTY

STANDARD WARRANTY (VEHICLE)	3 years or 30,000 km included
-----------------------------	-------------------------------

CHARGING

CHARGING PORT	IEC 62196-6 Support fast charging
---------------	--------------------------------------

BOOST CHARGER

CHARGE RATE	Included 20% - 80% in 2.5 hrs Upto 75km of range per hour of charge
-------------	---

CONNECTIVITY

NETWORK

LTE connectivity with integrated eSIM

WLAN

Supports 802.11a/b/g/n/ac Wi-Fi standards

BLUETOOTH

Supports Bluetooth 5, Bluetooth low energy

POSITIONING

GPS/GLONASS

DRIVETRAIN

MOTOR

Permanent Magnet AC Motor

THROTTLE CONTROL

Ride-by-wire

MECHANICAL

FRAME

Steel Trellis with Aluminium Bulk Head

FRONT SUSPENSION

Upside-down Telescopic fork with a diameter of 41 mm. Preload adjustable

REAR SUSPENSION

Monoshock - preload adjustable

BRAKE SYSTEM

Hydraulic disc brakes with dual-channel BOSCH ABS

BRAKE CALIPERS

Front: Fixed 4-Radial Piston Type
Rear: Single Piston Floating Caliper Type

BRAKE ROTOR

Front: 320mm disc Rear: 230mm disc

TYRES

Front: 110/70 R17 Rear: 150/60 R17